INFORMATION REPORT INFORMATION REPORT

CENTRAL INTELLIGENCE AGENCY

PROGRAMME COPY

This material contains information affecting the National Defense of the United States within the meaning of the Espionage Laws, Title 18, U.S.C. Secs. 793 and 794, the transmission or revelation of which in any manner to an unauthorized person is prohibited by law.


		S-E-C	-R-E-T		25X1
COUNTRY	East Germany		REPORT		
SUBJECT	Naval Arsenal at Fuhlendorf		DATE DISTR.	12 SEP 137	
			NO. PAGES	1	
			REQUIREMENT NO.	RD	
			REFERENCES		
DATE OF INFO.					25 X 1
PLACE &	3			T 10 TELETATION	25X1
	SOURCE EVALUATION	S ARE DEFINITIVE.	APPRAISAL OF CONTEN	I IS TENTATIVE.	
	on the naval arsenal (1) personnel, and (2) Sketch 1 shows the local layout of the arsenal) weapons. Two cation of the s	sketches are also	included:	
					25X1
-					


Z

Sanitized Copy Approved for Release 2010/04/21 : CIA-RDP80T00246A037200260001-0 SECRET, SEGRET 25X1 EAST GERMANY Naval 25X1 Naval Arsenal, FUHLENDORF. 1. Personnel Kapitan Ing. ROSENHAIN Officer-in-Charge Kapitanleutnant HACENS Deputy Head of the Pattern ? (LEHREN) Dopt. Marine-Oberwaffenmeistér SPECHT KLOSE Tosting Dept. DECENWALD 11 3 Armouries Marine-Waffenmeister SCHUSTER 11 Automatic Weapons Dept. WACHIE AA Weapons Dept. LUNAK Optical Dept. Permanent Staff - 200. Nature of weapons and work 2. Automatic weapons include MG-34, MG-42, KK and Pistolen O8. include those of 2 cm. calibre. No information was available regarding the stocks held. 25X1 most of the work in the arsenal consists of overhaul and repair. 3. Skotohos Sketch No.1 gives the location and Sketch No.2 the layout of the Arsenal. -0000oo- SECRET. 25X1 SECRET CONTROL

Sanitized Copy Approved for Release 2010/04/21 : CIA-RDP80T00246A037200260001-0

U. S. OFFICIALS ONLY





Ke to Sketch

1 - Watch towers
2 - Drick building containing the office of the O/C reseal, 12 x 8 m.
3 - Brick administrative buildings, 6 x 10 m. each
4 - Brick huts for the permanent staff, each 25 x 7 m.
5 - Brick automatic weapon dept., 50 x 20 m.
6 - Brick optical department, 50 x 20 m.
7 - Brick in gun dept., 50 x 20 m.
8 - Brick store, 70 x 40 m.
9 - Mapon testing range, 100 m. long, 20m. wide and 8 m. deep.
0 - Administration store.

SECRET CONTROL U. S. OFFICIALS ONLY

Sanitized Copy Approved for Release 2010/04/21 : CIA-RDP80T00246A037200260001-0